
# **PSYCHOPATHOLOGY**



## INTRODUCTION

- PSYCHIATRY
- PSYCHOPATHOLOGY



. Disorders of perception

Disorders of thought and speech

. Disorders of emotion

•

•

- Disorders of consciousness
  - Disorders of the experience of self

# DISORDERS OF PERCEPTION

# sensory distortions and sensory deceptions

Distortions-constant real perceptual object, which is perceived in a distorted way,

Deceptions a new perception occurs that may or may not be in response to an external stimulus.

Changes in perception that are the result of a change in the intensity and quality of the stimulus or the spatial form of the perception.

# **Changes in intensity (hyper- or hypo-aesthesia)**

**HYPERAESTHESIA:** Increased intensity of sensations

**Hyperacusis-** Anxiety and depressive disorders, hangover from alcohol and migraine Visual hyperaesthesia- Hypomanic, epileptic aura, use of lysergic acid diethylamide (LSD), intense normal emotions.

**Hypoacusis -** occurs in delirium, disorders associated with attentional defecits such as depression and attention-defecit disorder.

•Visual and gustatory sensations may also be lowered in depression, for example, everything is black or all foods taste the same.

# **Changes in quality :**

Visual perception – affected by this are brought about by toxic drugs. Xanthopsia- Colouring of Yellow Chloropsia - Colouring of green Erythropsia- Colouring of red

Metallic taste associated with the use of lithium. Derealization- Everything looks unreal and strange Mania- looks perfect and beautiful

## **Changes in spatial form (dysmegalopsia)**

Change in the perceived shape of an object.

**Micropsia-**objects as smaller, experience of the retreat of objects into the distance without any change in size(porropsia).changes of size in dreams and hallucinations (Lilliputian hallucinations)

#### Macropsia or Megalopsia.

**Dysmegalopsia-** objects that are perceived to be larger (or smaller) on one side than the othe.

Metamorphosia- to describe objects that are irregular in shape.

Dysmegalopsia can result from retinal disease, disorders of accommodation and convergence, temporal and parietal lobe lesions. Rarely, it can be associated with schizophrenia.

#### **DISTORTIONS OF THE EXPERIENCE OF TIME**

Two varieties of time: Physical- Determined by physical events Personal- Personal judgement of passage of time

Mania- Time passes quickly Depression- Time passes slowly Acute organic states (temporal disorientation) disorders of time is seen in milder form there may be over estimation of time.

## SENSORY DECEPTIONS ILLUSIONS AND HALLUCINATIONS

Illusions - misinterpretations of stimuli arising from an external object,

• VISUAL- more common in delirium

Three types of illusion:

• **Completion illusions:** inattention such as misreading words in newspapers or missing misprints because we read the word as if it were complete. Alternatively, if we see faded letters we may misread the word on the basis of our previous experience, our interests etc.,

# "book"

#### Affect illusions: these arise in the context of a particular mood state. For

example, a bereaved person may momentarily believe they 'see' the deceased

person,

•**Pareidolia**: in which vivid illusions occur without the patient making any effort.

result of excessive fantasy thinking and a vivid visual imagery.

seeing vivid pictures in fire or in clouds, without any conscious effort on his part

and sometimes even against his will.

Olny srmat poelpe can raed this. It deosn't mttaer in what oredr the ltteers in a word are, the iprmoatnt tihng is that the fisrt and last ltteer be in the rghit pclae. And I awlyas tghuhot slpeling was ipmorantt!



## Hallucinations

1.A false perception that occurs without a stimuli2.in a clear conscious state3.heard in the outer objective space4.through one of the sensory organs5.which is out of will of control.

#### **Hallucinations : causes**

Intense emotions Suggestion Disorders of sense organs Sensory deprivation Disorders of CNS **Emotions-** Depressed patients with delusions of guilt; hallucination tends to be derogatory and punishing. religious offerings

**Disorders of sense organs -** Hallucinatory voices may be heard in ear disease. Visual hallucination is seen in eye diseases.

**Charles Bonnet syndrome (phantom visual images)** is a condition in which complex visual hallucinations occur in the absence of any psychopathology and in clear consciousness. It is associated in peripheral or central reduction in vision.

#### **Sensory Deprivation**

If all incoming stimuli are related to minimum in a normal subject they will begin to hallucinate after few hours.

E.g. - protective patches, deafness.


#### **Disorders of CNS**

Lesions of diencephalons and cortex can produce hallucination that are not only visual but can be auditory.



# HALLUCINATIONS OF INDIVIDUAL SENSES Hearing (auditory) Vision Smell Taste Touch

# The sense of presence Pain and deep sensation



## Types

-Elementary= noises

- -Partially organized= music
- -completely organized= voices

# **VISUAL HALLUCINATIONS**

- Elementary\_ flashes of light
- Partialy organised\_ patterns
- Completely organised\_ visions of people,objects,or animals.



- Simple visual hallucinations
- Complex hallucinations
- Normal persons under stress or who are fatigued (e.g. hypnogogic).
- Persons with lesions of the eye, visual pathways, and primary visual and association cortices.
- Scenic hallucinations- whole scenes are hallucinated like a cinema film
- More commonly seen in delirium
- Seen in psychiatric disorders associated with epilepsy.

# Smell Seen in Schizophrenia Organic states like temporal lobe epilepsy

Depression (uncommon)

Seen in patients with migraine, epilepsy, temporal lobe hemorrhage, and brain tumors.

Olfactory hallucinations are also seen in patients with schizophrenia, depressive illness, and eating disorder.


#### Taste Seen in Schizophrenia Organic states

Depressed patient often describes loss of taste.

#### **Touch (Tactile) Formication-**

A feeling that animals are crawling over the body; not uncommon in organic states.

Cocaine bug - Formication bugs.





#### The sense of presence

Most normal people - someone is present when they are alone, on a dark street or climbing a dimly lit staircase.

Normal people – probably the result of lack of sleep, hunger and religious enthusiasm.

Organic states

Schizophrenia

Hysteria

#### Pain and deep sensation

Termed as Visceral hallucinations Twisting and tearing pains Seen in chronic schizophrenia

# **SPECIAL HALLUCINATIONS**

Functional hallucinations	- A stimulus causes the hallucination but it is experienced as well as the hallucination
<b>Reflex hallucination</b>	- A stimulus in one sensory field produces a hallucination in another
Extracampine hallucination	- Pt has halucination which is outside the limits of the sensory field

## Autoscopy (Phantom mirror image)

- Patient sees himself and knows that it is he Parietal lobe lesions, delirious states, schizophrenia, in normal people when they are exhausted or emotionally disturbed

**Doppelganger-** if some one sees his double. **Negative autoscopy-** Pt look in the mirror and sees no image

Internal autoscopy- person sees his internal organs.



# **NEGATIVE AUTOSCOPY**



Hallucinations	Mental images	Pseudo- hallucinations (Hagen)
substantial	incomplete	lack the substantiality
appear in objective space	exist in subjective space	subjective space
clearly delineated	not clearly delineated	clear and vivid
constant	Inconstant	-
sensory elements are full and fresh	sensory elements have to be recreated	-
Involuntary known to be real perceptions	dependent on the will	Involuntary and seen in full consciousness known to be not real perceptions (insight +)

#### Hypnagogic Hallucination

Occur when the subject is falling asleep during drowsiness.

Are discontinuous

Commonest is auditory. His name being called

May be geometrical designs, abstract shapes, faces, figures or scenes from nature

EEG shows alpha rhythm

#### **Hypnopompic Hallucination**


Occurs when the subject is waking up Hallucinations persisting from sleep when the eyes are open. More in narcolepsy.


# DISORDERS OF THOUGHT AND SPEECH

# **NORMAL THOUGHT PROCESS**



#### **Graphical Representation Of Thought Process Mind Map**





# **Disorders of thought and speech**

- disorders of intelligence
- stream of thought
- possession of thought,
- obsessions and compulsions and
- disorders of the content and form of thinking.


## **A. DISORDERS OF STREAM OF THOUGHT**

# 1. DISORDERS OF TEMPO FLIGHT OF IDEAS, -CIRCUMSTANTIALITY -TANGENTIALITY -INHIBITION OF THOUGHT


# 2. DISORDERS OF CONTINUITY.-PERSEVERATION-THOUGHT BLOCKING


# **FLIGHT OF IDEAS**

thoughts follow each other **rapidly**, there is no general direction of thinking and the connections between successive thoughts appear to be due to **chance factors**, which can **easily be understood**.









#### **DISORDERS OF FORM OF THINKING**

- Asyndesis, metonyms, Overinclusion, Neologisms.
- Loosening of association
- Derailment, omission, substitution, Fusion, Drivelling

Alie Lon; Mail Histor, ADUM, Mairantin Stater, BLOW, OPristander 5 FSUN 2 monnin Bin. 2 worr of Subbr dribts SCEE alganian. Jourant isnos JE 2381ADi ALEDONTA' TSIDE 25 TSIDE CERUM ADDONTA Bish 25 25 Band Ultranswar. Frank Bish al 33 BERNI. Ellerris 53336 Lorgen agoriai 1316600 HERE WITE interes into are alle to are alle 3685 3021 2000 a 13000 156 1988, 1888i Station of such about in Baron Unigged ABRIDER BEBBARDE. ABORRA' FORDE FSAULUASE Basson (15. DILLA TINKE alséssing. - 3800000 STON Medl. I-45F-46,97.506(I)-2011-G.B.P., PDKT. Dille & 5 10 10 200 5/24, 15630 56,0000000 00 10 1019

### **DISORDERS OF CONTENT OF THINKING**

#### • **DELUSIONS**

- False unshakeable belief,
- held with strong degree conviction even after producing evidence on the contrary
- out of keeping of the patients educational and cultural background
- well systematised and encapsulated and non bizarre and illogical.

#### TYPES

- Primary delusional mood, delusional perception and the sudden delusional idea.
- Secondary- arising from some other morbid experience.

secondary to depressive moods and hallucinations, and that psychogenic or stress reactions

#### CONTENT

#### tion

of primary delusional experiences, auditory hallucinations, bodily hallucinations or ex



#### **DELUSION OF REFERENCE**



#### **Delusions of infidelity**


conjugal paranoia

Othello syndrome

#### elusions of love

his condition has also been described as 'the fantasy lover syndrome' and 'erotomania

#### **GRANDIOSE DELUSIONS**



Delusions of ill health Hypochondriacal delusions Delusions of guilt Nihilistic delusions or delusions of negation Delusions of poverty

## **DISORDERS OF POSSESSION OF THOUGHT**

### **Obsessions and compulsions**

### **OBSESSIONS**:

Thoughts, images or impulses that are recurrent, repetitive, irresistible, irrational, involuntary and intrusive that are recognised as egodystonic and the patient has intense distress about it.

### NS:

dardized, recurrent behavior in response to an obsession to over

# Disorders of

## emotion

### **.Disorders of emotion**

Definition1. Normal2. Abnormal3. Morbid

## DISORDERS OF CONSCIOUSNESS

### **DISORDERS OF CONSCIOUSNESS**

DEFINITION QUANTITATIVE LOWERING:

- 1. clouding
- 2. drowsiness
- 3. spoor
- 4. coma

QUALITATIVE CHANGES 1. DELIRIUM

- 2. CONFUSION
- 3. TWILIGHT STATE
- 4. STUPOR


## DISORDERS OF THE EXPERIENCE OF SELF

## DISORDERS OF THE EXPERIENCE OF SELF

Depersonalisation Dissociative Conversion disorders multiple personality disorder Phantom limb phenomena

## Depersonalisation





JOSEF BREUER and SIGMUND FREUD

STUDIES ON HYSTERIA

Translated from the German and edited by JAMES STRACHEY

> In collaboration with ANNA FREUD

Assisted by ALIX STRACHEY and ALAN TYSON

> BASIC BOOKS, INC., PUBLISHERS 59 FOURTH AVENUE, NEW YORK 3, N. Y.







#### THANK YOU